



Khéops Weaves Bracelet

Design by Ella Des

www.ellad2.com







©2015 Ellad2, All rights reserved. Distributed by The Beadsmith. This project may be distributed and taught by customers of The Beadsmith. This document may not be altered in any way without first obtaining written approval from Ellad2

A quick and easy beading project. You can easily make this bracelet wider or narrower.

Supply List:

Amounts will vary depending on the width of your bracelet. My bracelet is 15 cm/almost 6" long without the clasp.

- Miyuki seed beads 11/0, 4201, Duracoat galvanized silver, about 2 gr (**sb11/1**)
- Miyuki seed beads 11/0, 0412, Op. Turquoise Green, less than 1 gr (28 beads min), (**sb11/2**)
- Miyuki seed beads 8/0, 4201, Duracoat galvanized silver, 12 pcs (**sb8**)
- Miyuki seed beads 15/0, 4201, Duracoat galvanized silver, about 1 gr (**sb15**)
- Czech glass Druks 14 pcs min, turquoise blue
- Fire-polished beads 4mm, 78 pcs, turquoise
- Kheops beads by Puca, crystal, 48 pcs min
- O-beads, Labrador, 10 gr min
- 3-strand clasp
- FireLine 6lb (0.008) is recommended
- Beading needle size 12

	<p>Step 1</p> <ul style="list-style-type: none"> - Thread a stop bead onto your thread and bring down to the end, leaving about 7" tail – what you are going to sew later in your work.
  	<p>Step 2:</p> <p>#</p> <ul style="list-style-type: none"> - Pick up the first Kheops bead on this way. Mark "x" shows the hole on the Kheops bead. <p>- Pick up:</p> <ul style="list-style-type: none"> 1 O-bead 1 sb11/1 1 fire-polished bead 1 sb11/1 1 O-bead <ul style="list-style-type: none"> - Now pick up the Kheops bead in this direction. <p>Continues on the next page...</p>

**Step 2 continues...**

- Pick up 1 fire-polished bead and Kheops bead in this direction.

#

Repeat # until you have the desired length of your bracelet. Take care how much you need for the clasp!!!

This is the whole repetition part.

When you have the desired length of your bracelet:

- The last bead should be a Kheops bead in this position.


Step 3


- Pick up 3 sb11s/1 and pass down through the last Kheops bead/next hole.


Step 4
#

- Pick up

1 O-bead
 1 sb11/1
 1 fire-polished bead
 1 sb11/1
 1 O-bead

And pass through the next Kheops bead/2nd hole.



- Pick up 1 fire-polished bead and pass through the next Kheops bead/2nd hole.

#


Repeat # till the end of the bracelet.



When you come to the end,

- Remove the stop bead.

Continues on the next page...

**Step 4 continues...**

- Make a double knot.
- Pick up 3 sb11s/1 and pass down through the Kheops bead.
- Thread your needle with the tail thread and sew the tail into your work (red arrow).
- When you finish, thread your needle with the working thread again.

**Step 5**

- Pass through the beads and come out through the first fire-polished bead.


Step 6
New row
#

- Pick up:

1 sb11/1
 1 O-bead
 1 Kheops bead
 1 Fire-polished bead
 1 Kheops bead
 1 O-bead
 1 sb11/1

 - Pass through the 2nd Fire-polished bead. Pull the thread, keep the tension!!!

#
Repeat # till the end of the bracelet.

At the end your thread exits through the last fire-polished bead.

Continues on the next page...

**Step 6 continues...**

- Pick up:

1 sb11/1
1 O-bead
1 Kheops bead
2 sb11s/1



- Pass back through the Kheops bead/next hole


Step 7
#

- Pick up:

1 O-bead
 1 sb11/1
 1 fire-polished bead
 1 sb11/1
 1 O-bead

And pass through the next Kheops bead. Pull the thread, keep the tension!

- Pick up 1 fire-polished bead and pass through the next Kheops bead.

#
Repeat # till the end of the row.

At the end of the row, pick up:

1 O-bead
 1 sb11/1
 1 fire-polished bead
 1 sb11/1
 1 O-bead
 1 Kheops bead
 3 sb11s/1

Continues on the next page...

**Step 7 continues...**

- Pass back through the Kheops bead/2nd hole



- Pick up 1 O-bead, 1 sb11/1 and pass through the fire-polished bead. Pull the thread, keep the tension!


Step 8

Your thread exits through the first fire-polished bead...

#

- Pick up:

1 sb11/1
 1 O-bead
 1 sb11/2
 1 O-bead
 1 round bead 6mm
 1 O-bead
 1 sb11/2
 1 O-bead
 1 sb11/1

- Pass through the next fire-polished bead in the same line. Pull the thread, keep the tension!

#

Repeat # till the end of the bracelet

It looks like this.

Continues on the next page...

Step 8 continues...

When you finish, pass through the beads and come out through the fire-polished bead.



So, you are here. I turned the bracelet in order to work from the right to the left...


Step 9
New row
#

- Pick up:

1 sb11/1
 1 O-bead
 1 Kheops bead
 1 fire-polished bead
 1 Kheops bead
 1 O-bead
 1 sb11/1

- Pass through the second fire-polished bead. Pull the thread, keep the tension!

#
Repeat # till the end.

At the end:

- Pick up:

1 sb11/1
 1 O-bead
 1 Kheops bead
 3 sb11s/1

And pass back through the Kheops bead/the next hole.


Step 10
#

- Pick up:
- 1 O-bead
- 1 sb11/1
- 1 fire-polished bead
- 1 sb11/1
- 1 O-bead and pass through the next Kheops bead

- Pick up 1 fire-polished bead and pass through the next Kheops bead

#
Repeat # till the end of the row.

- At the end of the row pick up:

- 1 O bead
- 1 sb11/1
- 1 fire-polished bead
- 1 sb11/1
- 1 O-bead
- 1 Kheops bead
- 3 sb11's/1

And pass back through the Kheops bead/the next hole. Pull the thread tight!!

Continues on the next page...


Step 10 continues...

- Pick up 1 O-bead, 1 sb11/1 and pass through the fire-polished bead.


Step 11

Repeat step 8 with round beads 6mm



- When you finish, pass through the beads on the top of the bracelet and continue passing through the all beads until the other end of the bracelet – good way to enforce the bracelet.

**Step 12**
Clasp

- When you finish the step 11, exit through the sb11 (bead in the middle) on the top of the Kheops bead.

- Pick up 1 sb8, pass through the jump ring, pick up 1 sb8 and pass back through the sb11. Pull the thread tight!

- Pass few times through the beads and jump ring and when you think that connection is strong enough exit through sb8

Continues on the next page...

**Step 12 continues...**

- Pick up 1 sb11/1 and pass through the sb11/1 on the top of the Kheops bead



- Pick up 1 sb11/1, 1 fire-polished bead, 1 sb11/1 and pass through the sb11/1 on the top of the next Kheops bead.



- Pick up 1 sb8 and pass through the next jump ring

Continues on the next page...


Step 12 continues...

- Pick up again sb8 and pass back through sb11/1

Pass through the beads and jump ring few more times and...

- Pick up 1 sb11/1, 1 fire-polished bead, 1 sb11/1 and pass through the sb11/1 on the top of the third Kheops bead.
- Repeat the same here with sb8's and enforcement and when you finish

- Add 1 sb11/1 and pass down through the sb11/1 and Kheops bead.



This is how connection looks like...

**Step 13**

- Pass through the all beads on that side of the bracelet and add the clasp on the other end.

**Step 14**

I suggest you to pass also through all the beads in the middle of the bracelet once again in order to enforce it.

And through the beads with 6mm bead...

And bracelet is finished.

*Congratulations!
Your beautiful bracelet is now complete!!!
Enjoy!*